



Hamburg - Germany

almanit fittings & co.

# BRASS FITTINGS



*Manufactured under strict German standards of quality control  
according to DIN 3523, DIN 259 and DIN 2999*



almanit sanitary fittings

Hamburg - Germany



## Brass Fittings



Art.1522



Art.1513



Art.1531



Art.1525



Art.1541



Art.1523

### Art.1522

chrome plated brass double nipple with hexagonal nut body, made of heat treated annealed brass, manufactured according to DIN 2999, Male x Male threading, available in the sizes: 3/8", 1/2", 3/4" and 1".

### Art.1525

chrome plated brass reducing nipple with hexagonal nut body, manufactured according to DIN 2999, Male x Male threading, with chrome plated brass squeeze nut, in the sizes:  
 1/2"x3/8"x10mm ø.  
 1/2"x3/8"x12mm ø.  
 1/2"x1/2"x12mm ø.

### Art.1513

chrome plated brass bib cock prolongation, highly polished, made of heat treated annealed brass, manufactured according to DIN 3523, Male x Female threading, available in the sizes: 3/8"x3/8" or 1/2"x1/2" or 3/4"x3/4" or 1" x 1" in the lengths: 10 to 100mm)

### Art.1541

chrome plated brass reducing double nipple with hexagonal nut body, manufactured according to DIN 2999, Female x Male threading, available in the sizes: 1/2"x3/8", 3/4"x1/2", 1"x3/4", 1.1/4"x1", 1.1/4"x3/4", 1.1/2"x1.1/4", 1.1/2"x1", 1.1/2"x3/4", 2"x1.1/2", 2"x1.1/4" and 2"x1".

### Art.1531

chrome plated brass reducing double nipple with hexagonal nut body, made of heat treated annealed brass, manufactured according to DIN 2999, Male x Male threading, available in the sizes: 1/2"x3/8", 3/4"x1/2", 1"x3/4" and 1"x1/2".

### Art.1523

chrome plated brass double nipple with hexagonal nut body, manufactured according to DIN 2999, Male x Male threading, with 2 chrome plated brass squeeze nuts, in the sizes:  
 3/8"x3/8"x10mm ø.  
 1/2"x1/2"x10mm ø.  
 1/2"x1/2"x12mm ø.



Hamburg - Germany

## Brass Fittings



**Art.1542**



**Art.1612**



**Art.1551**



**Art.1613**



**Art.1622**



**Art.1611**

### Art.1542

chrome plated brass round reduction piece, highly polished, manufactured according to DIN 259, Male x Female threading, available in the sizes:

3/8"Mx1/2"F    3/8"Mx3/4"F  
1/2"Mx3/4"F    3/4"Mx1/2"F  
1/2"Mx1"F      3/4"Mx1"F

### Art.1613

chrome plated brass Elbow, 90°, highly polished, made of heat treated annealed brass, manufactured according to DIN 259, Female x Male threading, available in the sizes: 3/8", 1/2", 3/4", and 1".

### Art.1612

chrome plated brass Elbow, 90°, highly polished, made of heat treated annealed brass, manufactured according to DIN 259, Female threading, available in the sizes: 3/8", 1/2", 3/4", and 1".

### Art.1622

chrome plated brass T-piece, highly polished, made of heat treated annealed brass, manufactured according to DIN 259, Female threading, available in the sizes: 3/8", 1/2", 3/4", and 1".

### Art.1551

chrome plated brass round socket, highly polished, made of heat treated annealed brass, manufactured according to DIN 2999, Female x Female threading, available in the sizes: 3/8", 1/2", 3/4" and 1".

### Art.1611

chrome plated brass Elbow, 90°, highly polished, made of heat treated annealed brass, manufactured according to DIN 259, Male x Male threading, available in the sizes: 3/8", 1/2", 3/4", and 1".

## Brass Fittings




**Art.1751**



**Art.1753**




**Art.1761**



**Art.1521**



**Art.6811**



**Art.666**

### Art.1751

chrome plated brass plug, made of heat treated annealed brass, manufactured according to DIN 2999, Male threading, available in the sizes: 3/8", 1/2", 3/4", and 1".

### Art.1753

chrome plated brass cap with hexagonal head, made of heat treated annealed brass, manufactured according to DIN 2999, Male threading, available in the sizes: 3/8", 1/2", 3/4", and 1".

### Art.1761

chrome plated brass cap with hexagonal head, made of heat treated annealed brass, manufactured according to DIN 2999, Female threading, available in the sizes: 3/8", 1/2", 3/4", and 1".

### Art.1521

chrome plated brass all threaded nipple, made of heat treated annealed brass, manufactured according to DIN 2999, Male threading, available in the sizes: 3/8"x30mm, 3/8"x40mm, 1/2"x30mm, 1/2"x40mm, 3/4"x30, 3/4"x40, 1"x30mm, 1"x40mm.

### Art.6811

chrome plated brass squeeze nut with brass ring, brass washer and rubber washer, available in the sizes:  
 3/8"x10mm ø.  
 1/2"x10mm ø.  
 1/2"x12mm ø.

### Art.666

chrome plated brass water meter connection union, with nut and washer, with male threading, available in the sizes: 1/2", 3/4", 1", 1.1/4", 1.1/2" and 2".